Telefax: +49 (0) 5281 9829 860



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**DINITROL 705 White** 

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Adhesives, sealants

# 1.3. Details of the supplier of the safety data sheet

Company name: DINOL GmbH

 Street:
 Pyrmonter Strasse 76

 Place:
 D-32676 Luegde

 Telephone:
 +49 (0) 5281 9829 80

Responsible Department: msds@dinol.com

1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 790 (Consultation in German and English)

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

### 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixture of various substances

# **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
		ethane-1,2-diylbis(12-hydroxyoctade [(1-oxodecyl)amino]ethyl]- and Deca		< 2,5 %	
	907-495-0		01-2119545465-35		
	Aquatic Chronic 3; H412				

Full text of H and EUH statements: see section 16.

### **Further Information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

### **SECTION 4: First aid measures**



according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 2 of 8

#### 4.1. Description of first aid measures

## After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

#### After contact with skin

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet

alcohol resistant foam

Extinguishing powder

Carbon dioxide (CO2)

### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Hazardous combustion products

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

Keep away from sources of ignition. - No smoking.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Take up mechanically.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Provide adequate ventilation. Provide adequate ventilation as well as local exhaustion at critical locations.



according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 3 of 8

#### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Do not allow to enter into soil/subsoil.

### Advice on storage compatibility

Store away from foodstuffs.

#### Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Keep container dry.

#### 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1317-65-3	Calcium carbonate, respirable	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## Protective and hygiene measures

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs.

Wash hands before breaks and after work.

# Eye/face protection

Eye glasses with side protection (DIN EN 166)

## **Hand protection**

Tested protective gloves must be worn (DIN EN 374): NBR (Nitrile rubber) (0,12mm), <= 10 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

# **Respiratory protection**

Not required.



according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 4 of 8

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: white
Odour: characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not applicable

> 100 °C

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not determined

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

not determined

not determined

**Oxidizing properties** 

not determined

Vapour pressure: < 100 hPa

(at 20 °C)

Vapour pressure: not determined

Density (at 20 °C): 1,64 g/cm³

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / kinematic:

vapour density:

not determined

not determined

not determined

rate:

not determined

solvent separation test:

not determined

9.2. Other information

No information available.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions



according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 5 of 8

Reacts with:

Acid

Oxidising agent, strong

### 10.4. Conditions to avoid

Protect from moisture.

### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Sulphur oxides

After contact with water: Formation of: Methanol

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
	Amide wax (Reaction mass of N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide) and Octadecanamide, 12-hydroxy-N-[2-[(1-oxodecyl)amino]ethyl]- and Decanamide, N,N'-1,2-ethanediylbis-)						
	oral	LD50	>2000 mg/kg	Rat			
	dermal	LD50	>2000 mg/kg	Rat			
	inhalative (4 h) aerosol	LC50	5,1 mg/l	Rat			

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

## Sensitising effects

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

# 12.1. Toxicity



according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 6 of 8

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source		
	Amide wax (Reaction mass of N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide) and Octadecanamide, 12-hydroxy-N-[2-[(1-oxodecyl)amino]ethyl]- and Decanamide, N,N'-1,2-ethanediylbis-)							
	Acute fish toxicity	LC50	>100 mg/l		Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50	43,2 mg/l		Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50	94,9 mg/l		Daphnia magna (Big water flea)			
	Acute bacteria toxicity	(>1000 i	mg/l)	3 h				

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amide wax (Reaction mass of N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide) and Octadecanamide, 12-hydroxy-N-[2-[(1-oxodecyl)amino]ethyl]- and Decanamide, N,N'-1,2-ethanediylbis-)	5,4

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

not applicable

### 12.6. Other adverse effects

No information available.

#### **Further information**

There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# Advice on disposal

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

## Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

 ${\tt COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);}$ 

waste adhesives and sealants containing organic solvents or other hazardous substances

Classified as hazardous waste.

## Waste disposal number of used product

080411 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS

(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); adhesive and sealant

sludges containing organic solvents or other hazardous substances

Classified as hazardous waste.

## Waste disposal number of contaminated packaging



according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 7 of 8

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances

Classified as hazardous waste.

#### Contaminated packaging

Remove according to the regulations.

### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine pollutant: no

Air transport (ICAO)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

2004/42/EC (VOC): 0,5 % (8,2 g/l)

Subcategory according to Directive Bodyfiller/stopper - All types, VOC limit value: 250 g/l

2004/42/EC:

## **Additional information**

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **National regulatory information**

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 1 - slightly water contaminating





according to Regulation (EC) No 1907/2006

#### **DINITROL 705 White**

Print date: 19.10.2015 Product code: 90222 Page 8 of 8

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Relevant H and EUH statements (number and full text)

H412 Harmful to aquatic life with long lasting effects.
EUH210 Safety data sheet available on request.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)