

**Safety data sheet**

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name: DINITROL 517 B****1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use**

SU3, SU17, SU22

SU3, SU17, SU21, SU22

**Product category** PC1 Adhesives, sealants**Process category** PROC1-5, PROC7, PROC8a, PROC8b, PROC9-11, PROC13-14, PROC 19, PROC21**Environmental release category** ERC5, ERC8c, ERC8d, ERC8f**Article category** Not applicable**Application of the substance / the mixture** Adhesives**Uses advised against** SU21 Consumer uses: Private households / general public / consumers**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Hersteller/ Producer: EFTEC AG, Hofstrasse 31, CH-8590 Romanshorn

EU-Importeur/ EU-Importer: EFTEC Ltd., Rhigos/Aberdare, GB-Mid Glamorgan CF44 9UE (Responsible for chemical registration in EU)

Lieferant/ Supplier: DINOL GmbH, Pyrmonterstrasse 76, D-32676 Lügde

**Further information obtainable from:** msds@dinol.com**1.4 Emergency telephone number:** Giftnotruf D-Berlin +49(0)30 30686 790 Beratung in Deutsch und Englisch.**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R20-40-48/20: Harmful by inhalation. Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation.

(Contd. on page 2)

DACH

# Safety data sheet

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**Trade name: DINITROL 517 B**

(Contd. of page 1)

**Xn; Sensitising****R42/43:** May cause sensitisation by inhalation and skin contact.**Xi; Irritant****R36/37/38:** Irritating to eyes, respiratory system and skin.**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS07 GHS08

**Signal word Danger****Hazard-determining components of labelling:**

diphenylmethanediisocyanate, isomeres and homologues

**Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P284 [In case of inadequate ventilation] wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH204 Contains isocyanates. May produce an allergic reaction.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

DACH

**Safety data sheet**

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**Trade name: DINITROL 517 B**

(Contd. of page 2)

**Dangerous components:**

CAS: 9016-87-9 EC number: 618-498-9	diphenylmethanediisocyanate, isomeres and homologues Xn R20-40-48/20;  Xn R42/43;  Xi R36/37/38 Carc. Cat. 3 Resp. Sens. 1, H334;  Carc. 2, H351;  STOT RE 2, H373;  Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	50-100%
CAS: 28553-12-0 EINECS: 249-079-5	di-"isononyl" phthalate substance with a Community workplace exposure limit	10-<25%

SVHC The mixture of substances contain no SVHC (Substances of Very High Concern, <http://echa.europa.eu>)**Additional information:** For the wording of the listed risk phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Call for a doctor immediately.**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**Suitable extinguishing agents: CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:** Mount respiratory protective device.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures** Not required.**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

DACH

(Contd. on page 4)

# Safety data sheet

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

Trade name: DINITROL 517 B

(Contd. of page 3)

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special measures required.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Keep container tightly sealed.

**Maximum storage temperature:** < 35 °C

**Minimum storage temperature:** > 0 °C

**Storage temperature:** 0 - 35 °C

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

**9016-87-9 diphenylmethanediisocyanate, isomeres and homologues**

AGW (DACH)	Long-term value: 0,05 E mg/m <sup>3</sup> I;=2=(I);DFG, H, Sah, Y, 12
WEL (Great Britain english)	Short-term value: 0,07 mg/m <sup>3</sup> Long-term value: 0,02 mg/m <sup>3</sup> Sen; as -NCO

**28553-12-0 di-"isononyl" phthalate**

WEL (Great Britain english)	Long-term value: 5 mg/m <sup>3</sup>
-----------------------------	--------------------------------------

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**Respiratory protection:**



Use suitable respiratory protective device in case of insufficient ventilation.

Filter A

**Protection of hands:**



Protective gloves (DIN EN 374)

Chemical resistant protective gloves with CE-labeling

To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required.

Softening of the callus when wearing air-impermeable gloves is possible.

(Contd. on page 5)

**Safety data sheet**

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**Trade name: DINITROL 517 B**

(Contd. of page 4)

*Check the permeability prior to each renewed use of the glove.***Material of gloves**

Nitrile rubber, NBR

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Eye protection:**

Safety glasses (DIN EN 166)

**Body protection:**

Protective work clothing

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Black
<b>Odour:</b>	Uncharacteristic.
<b>Odour threshold:</b>	Not determined.

**pH-value:** Not determined.**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	270 °C

**Flash point:** Not applicable.**Flammability (solid, gaseous):** Not applicable.**Ignition temperature:** 400 °C**Decomposition temperature:** Not determined.**Self-igniting:** Product is not selfigniting.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:**

<b>Lower:</b>	0,4 Vol %
<b>Upper:</b>	2,9 Vol %

**Vapour pressure:** Not determined.**Density at 20 °C:** 1,22 g/cm<sup>3</sup>**Relative density** Not determined.

(Contd. on page 6)

DACH

**Safety data sheet**

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**Trade name: DINITROL 517 B**

(Contd. of page 5)

<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Solvent content:</b>	
<b>Organic solvents:</b>	0,0 %
<b>Solids content:</b>	100,0 %
<b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral	LD50	20000 mg/kg (rat)
------	------	-------------------

**9016-87-9 diphenylmethanediisocyanate, isomeres and homologues**

Oral	LD50	> 10000 mg/kg (rat) (OECD-Prüfrichtlinie 401)
Dermal	LD50	> 9400 mg/kg (rabbit) (OECD-Prüfrichtlinie 402)
Inhalative	LC50/ 4h	310 mg/l (rat) (OECD-Prüfrichtlinie 403)

**Primary irritant effect:****Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity**

Suspected of causing cancer.

(Contd. on page 7)

DACH

# Safety data sheet

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**Trade name: DINITROL 517 B**

(Contd. of page 6)

**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****9016-87-9 diphenylmethanediisocyanate, isomeres and homologues**

EC50/ 24h (static) &gt; 1000 mg/l (daphnia) (OECD-Prüfrichtlinie 202)

EC50/ 72h &gt; 1640 mg/l (alga) (OECD-Prüfrichtlinie 201)

LC50/ 96h (static) &gt; 1000 mg/l (fish) (OECD-Prüfrichtlinie 203)

**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN-Number**

ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)

DACH

**Safety data sheet**

acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**Trade name: DINITROL 517 B**

(Contd. of page 7)

**14.2 UN proper shipping name**  
ADR, ADN, IMDG, IATA

Void

**14.3 Transport hazard class(es)**ADR, ADN, IMDG, IATA  
Class

Void

**14.4 Packing group**

ADR, IMDG, IATA

Void

**14.5 Environmental hazards:**  
Marine pollutant:

No

**14.6 Special precautions for user**

Not applicable.

**14.7 Transport in bulk according to Annex II of**  
Marpol and the IBC Code

Not applicable.

**UN "Model Regulation":**

Void

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Technical instructions (air):

Class	Share in %
I	50-100

**Other regulations, limitations and prohibitive regulations**

Substances of very high concern (SVHC) according to REACH, Article 57

The mixture of substances contain no SVHC (Substances of Very High Concern, <http://echa.europa.eu>)

EU-VOC: 0,00 %

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and skin.

(Contd. on page 9)

DACH



**Safety data sheet**  
acc. to EU regulations 1272/2008 and 1907/2006 incl. all amendments

Printing date 14.08.2015

Revision: 14.08.2015

**Trade name: DINITROL 517 B**

(Contd. of page 8)

R40 *Limited evidence of a carcinogenic effect.*

R42/43 *May cause sensitisation by inhalation and skin contact.*

R48/20 *Harmful: danger of serious damage to health by prolonged exposure through inhalation.*

**Department issuing MSDS:** Entwicklung

**Contact:** msds@dinol.com

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

DACH